



W EXTRUSION WELDING MACHINE

EWM18.E

EWM18.I

EWM48.I

EWM58.I

Product Profile :

- Extremely light weight welding extruder for PE & PP.
- Suitable for 3, 4 & 5 MM Welding Rod.
- Ideally used in swimming pool, HDPE manholes and tank construction.



**INNOVATIVE
CANADIAN
TECHNOLOGY**
a step ahead.

Product Specifications

Model No.	EWM18.E	EWM18.I	EWM48.I	EWM58.I
Welding Material	PP, PE, PVDF	PP, PE, PVDF	PP, PE, PVDF	PP, PE, PVDF
Input Voltage Requirements	220V, 50Hz, 1P	220V, 50Hz, 1P	220V, 50Hz, 1P	220V, 50Hz, 1P
Welding Rod	φ 3 & 4 MM	φ 3 & 4 MM	φ 4 & 5 MM	φ 4 & 5 MM
Welding Rate	≤ 1.8 KG/Hr	≤ 1.8 KG/Hr	≤ 4.8 KG/Hr	≤ 5.8 KG/Hr
Application Range (Wall Thickness)	4 – 15 MM	4 – 15 MM	10 – 35 MM	12 – 40 MM
Air Volume	N/A	300L/min	300L/min	300L/min
Air Supply	External	Integrated	Integrated	Integrated
Weight	4.5 KG	4.8 KG	9.9 KG	10.2 KG